

**PRODUCT  
CATALOG**

goldorthopedic.com





**PRODUCT**  
CATALOG

[goldorthopedic.com](http://goldorthopedic.com)



# 06 Plate Systems

Large Fragment Locking Plate System	6
Screws	10
Small Fragment Locking Plate System	12
Screws	18
Locking DHS-DCS Plate	21
Mini Plate Systems	22
Screws	24

# 25 Arthroscopy

U Staple	25
----------	----

# 26 Cannulated Screws

Cannulated Screws	26
Cannulated Headless/Herbert Compression Screws	27

# TABLE OF CONTENT

## 28

### Hip Joint Prostheses

28	Femoral / Calcar Stem
29	Acetabular Cup / Bipolar Head

## 30

### Intramedullary Nails

30	GFN Multi-Purpose Femoral Nail Systems
33	Cannulated Intramedullary Retrograde Femoral Nail
34	GTN Tibial Nail Systems
36	Cannulated Intramedullary Humeral Nail
37	Titanium Elastic Nail

## 38


### External Fixation Systems

38	External Fixators
40	External Hybrid Fixator
41	Small External Tubular Fixator Set
42	Large External Tubular Fixator Set

## 45


### Spinal System

### Locking Proximal Medial Tibial Plate




REF. NO (TI)	HOLES
11212-10008	8-R
11212-10010	10-R
11212-10012	12-R
11212-10014	14-R
11212-10016	16-R
11212-20008	8-L
11212-20010	10-L
11212-20012	12-L
11212-20014	14-L
11212-20016	16-L

### Locking Proximal Lateral Tibial L Plate




REF. NO (TI)	HOLES
11112-10008	8-R
11112-10010	10-R
11112-10012	12-R
11112-10014	14-R
11112-10016	16-R
11112-20008	8-L
11112-20010	10-L
11112-20012	12-L
11112-20014	14-L
11112-20016	16-L

### Locking Proximal Medial Tibial T Plate




REF. NO (TI)	HOLES
11222-10006	6-R
11222-10008	8-R
11222-10010	10-R
11222-20006	6-L
11222-20008	8-L
11222-20010	10-L

### Locking Distal Medial Tibial Plate




REF. NO (TI)	HOLES
11142-10008	8-R
11142-10010	10-R
11142-10012	12-R
11142-10014	14-R
11142-10016	16-R
11142-20008	8-L
11142-20010	10-L
11142-20012	12-L
11142-20014	14-L
11142-20016	16-L

### Locking Distal Lateral Tibial Plate



REF. NO (TI)	HOLES
11132-10008	8-R
11132-10010	10-R
11132-10012	12-R
11132-10014	14-R
11132-10016	16-R
11132-20008	8-L
11132-20010	10-L
11132-20012	12-L
11132-20014	14-L
11132-20016	16-L

### Locking Distal Medial Tibial Point Plate (3.5-5.0 Combined)



REF. NO (TI)	HOLES
11092-10013	13-R
11092-10015	15-R
11092-10017	17-R
11092-10019	19-R
11092-10021	21-R
11092-20013	13-L
11092-20015	15-L
11092-20017	17-L
11092-20019	19-L
11092-20021	21-L

# Plate Systems

Large Fragment Locking Plate System

Locking LC DCP Broad Plate (5.0 mm)



REF. NO (TI)	HOLES
11172-00004	4
11172-00005	5
11172-00006	6
11172-00007	7
11172-00008	8
11172-00009	9
11172-00010	10
11172-00011	11
11172-00012	12
11172-00013	13
11172-00014	14
11172-00015	15
11172-00016	16

Locking LC DCP Narrow Plate (5.0 mm)




REF. NO (TI)	HOLES
11162-00004	4
11162-00005	5
11162-00006	6
11162-00007	7
11162-00008	8
11162-00009	9
11162-00010	10
11162-00011	11
11162-00012	12
11162-00013	13
11162-00014	14
11162-00015	15
11162-00016	16

Cable Locking LC DCP Broad Plate




REF. NO (TI)	HOLES
11182-00004	4
11182-00005	5
11182-00006	6
11182-00007	7
11182-00008	8
11182-00009	9
11182-00010	10
11182-00011	11
11182-00012	12

Locking Distal Lateral Femoral Plate




REF. NO (TI)	HOLES
11242-10013	13-R
11242-10015	15-R
11242-10017	17-R
11242-10019	19-R
11242-10021	21-R
11242-20013	13-L
11242-20015	15-L
11242-20017	17-L
11242-20019	19-L
11242-20021	21-L

Locking Proximal Lateral Femoral Plate



REF. NO (TI)	HOLES
10892-10009	9-R
10892-10011	11-R
10892-10013	13-R
10892-10015	15-R
10892-10017	17-R
10892-20009	9-L
10892-20011	11-L
10892-20013	13-L
10892-20015	15-L
10892-20017	17-L

Locking Attachment Plate



REF. NO (TI)	HOLES
12802-00008	8

## Minimally Invasive Locking Distal Lateral Femoral Plate



REF. NO (TI)	HOLES
11262-10012	12-R
11262-10016	16-R
11262-10020	20-R
11262-20012	12-L
11262-20016	16-L
11262-20020	20-L

## Minimally Invasive Locking Proximal Lateral Tibial Plate




REF. NO (TI)	HOLES
11272-10010	10-R
11272-10013	13-R
11272-10014	14-R
11272-10018	18-R
11272-20010	10-L
11272-20013	13-L
11272-20014	14-L
11272-20018	18-L

## Locking Screws Self Drilling 5.0 mm



REF. NO (TI)	SIZE (mm)
20412-50016	16
20412-50018	18
20412-50020	20
20412-50025	25
20412-50030	30
20412-50035	35
20412-50040	40
20412-50045	45
20412-50050	50
20412-50055	55
20412-50060	60
20412-50065	65
20412-50070	70
20412-50075	75
20412-50080	80
20412-50085	85
20412-50090	90
20412-50095	95
20412-50100	100
20412-50105	105
20412-50110	110
20412-50115	115
20412-50120	120

## Locking Proximal Lateral Femoral Head Plate



REF. NO (Ti)	HOLES
12752-10004	4-R
12752-20004	4-L



**Locking Cannulated Screw**  
(Ø 7.3 mm) (16 mm Threaded)



REF. NO (Ti)	SIZE (mm)
21292-73045	45
21292-73050	50
21292-73055	55
21292-73060	60
21292-73065	65
21292-73070	70
21292-73075	75
21292-73080	80
21292-73085	85
21292-73090	90
21292-73095	95
21292-73100	100
21292-73105	105
21292-73110	110
21292-73115	115
21292-73120	120



**Locking Cannulated Screw**  
(Ø 7.3 mm) (32 mm Threaded)



REF. NO (Ti)	SIZE (mm)
21222-73045	45
21222-73050	50
21222-73055	55
21222-73060	60
21222-73065	65
21222-73070	70
21222-73075	75
21222-73080	80
21222-73085	85
21222-73090	90
21222-73095	95
21222-73100	100
21222-73105	105
21222-73110	110
21222-73115	115
21222-73120	120

### Locking Screw (Ø 5.0 mm)




REF. NO (Ti)	SIZE (mm)
20432-50012	12
20432-50014	14
20432-50016	16
20432-50018	18
20432-50020	20
20432-50022	22
20432-50024	24
20432-50026	26
20432-50028	28
20432-50030	30
20432-50032	32
20432-50034	34
20432-50036	36
20432-50038	38
20432-50040	40
20432-50042	42
20432-50044	44
20432-50046	46
20432-50048	48
20432-50050	50
20432-50055	55
20432-50060	60
20432-50065	65
20432-50070	70
20432-50075	75
20432-50080	80
20432-50085	85
20432-50090	90

### Cortical Screw (Ø 4.5 mm)



REF. NO (Ti)	SIZE (mm)
20362-45012	12
20362-45014	14
20362-45016	16
20362-45018	18
20362-45020	20
20362-45022	22
20362-45024	24
20362-45026	26
20362-45028	28
20362-45030	30
20362-45032	32
20362-45034	34
20362-45036	36
20362-45038	38
20362-45040	40
20362-45042	42
20362-45044	44
20362-45046	46
20362-45048	48
20362-45050	50
20362-45052	52
20362-45054	54
20362-45056	56
20362-45058	58
20362-45060	60
20362-45065	65
20362-45070	70
20362-45075	75
20362-45080	80
20362-45085	85
20362-45090	90

### Locking Cancellous Screw (Ø 6.5 mm)



REF. NO (Ti)	SIZE (mm)
20442-65030	30
20442-65035	35
20442-65040	40
20442-65045	45
20442-65050	50
20442-65055	55
20442-65060	60
20442-65065	65
20442-65070	70
20442-65075	75
20442-65080	80
20442-65085	85
20442-65090	90
20442-65095	95
20442-65100	100
20442-65105	105
20442-65110	110
20442-65115	115
20442-65120	120

### Cancellous Screw


(Ø 6.5 mm) (16 mm Threaded)



REF. NO (TI)	SIZE (mm)
20382-65030	30
20382-65035	35
20382-65040	40
20382-65045	45
20382-65050	50
20382-65055	55
20382-65060	60
20382-65065	65
20382-65070	70
20382-65075	75
20382-65080	80
20382-65085	85
20382-65090	90
20382-65095	95
20382-65100	100
20382-65105	105
20382-65110	110
20382-65115	115
20382-65120	120

### Cancellous Screw

(Ø 6.5 mm) (32 mm Threaded)



REF. NO (TI)	SIZE (mm)
21052-65040	40
21052-65045	45
21052-65050	50
21052-65055	55
21052-65060	60
21052-65065	65
21052-65070	70
21052-65075	75
21052-65080	80
21052-65085	85
21052-65090	90
21052-65095	95
21052-65100	100
21052-65105	105
21052-65110	110
21052-65115	115
21052-65120	120

### Locking Cannulated Screw

(Ø 5.0 mm)



REF. NO (TI)	SIZE (mm)
21162-50012	12
21162-50014	14
21162-50016	16
21162-50018	18
21162-50020	20
21162-50022	22
21162-50024	24
21162-50026	26
21162-50028	28
21162-50030	30
21162-50032	32
21162-50034	34
21162-50036	36
21162-50038	38
21162-50040	40
21162-50042	42
21162-50044	44
21162-50046	46
21162-50048	48
21162-50050	50
21162-50055	55
21162-50060	60
21162-50065	65
21162-50070	70
21162-50075	75
21162-50080	80
21162-50085	85
21162-50090	90
21162-50095	95

Locking LC Dcp Narrow Plate  
3.5 mm



REF. NO (TI)	HOLES
11042-00004	4
11042-00005	5
11042-00006	6
11042-00007	7
11042-00008	8
11042-00009	9
11042-00010	10
11042-00011	11
11042-00012	12
11042-00013	13
11042-00014	14

Locking Lc Dcp Broad Plate  
3.5 mm




REF. NO (TI)	HOLES
10832-00004	4
10832-00005	5
10832-00006	6
10832-00007	7
10832-00008	8
10832-00009	9
10832-00010	10
10832-00011	11
10832-00012	12
10832-00013	13
10832-00014	14

Locking One-Third Tubular Plate




REF. NO (TI)	HOLES
11062-00003	3
11062-00004	4
11062-00005	5
11062-00006	6
11062-00007	7
11062-00008	8
11062-00009	9
11062-00010	10
11062-00011	11
11062-00012	12
11062-00013	13
11062-00014	14

Locking Distal Radius Plate -  
Volar




REF. NO (TI)	HOLES
10692-10012	12-R
10692-10013	13-R
10692-10014	14-R
10692-10015	15-R
10692-10016	16-R
10692-10017	17-R
10692-20012	12-L
10692-20013	13-L
10692-20014	14-L
10692-20015	15-L
10692-20016	16-L
10692-20017	17-L

Locking Distal Radius Plate - Dorsal




REF. NO (TI)	HOLES
10682-10010	10-R
10682-10011	11-R
10682-10012	12-R
10682-10013	13-R
10682-10014	14-R
10682-10015	15-R
10682-20010	10-L
10682-20011	11-L
10682-20012	12-L
10682-20013	13-L
10682-20014	14-L
10682-20015	15-L

Locking Distal Ulna Plate



REF. NO (TI)	HOLES
10932-10007	7-R
10932-10008	8-R
10932-10009	9-R
10932-20007	7-L
10932-20008	8-L
10932-20009	9-L

Locking Proximal Radial Head  
Plate



REF. NO (TI)	HOLES
10702-00006	6
10702-00007	7
10702-00008	8

# Plate Systems

Small Fragment Locking Plate System

Locking Distal Lateral Humeral Plate



REF. NO (TI)	HOLES
10772-10008	8-R
10772-10010	10-R
10772-10012	12-R
10772-10014	14-R
10772-20008	8-L
10772-20010	10-L
10772-20012	12-L
10772-20014	14-L

Locking Distal Medial Humeral Plate




REF. NO (TI)	HOLES
10792-10008	8-R
10792-10010	10-R
10792-10012	12-R
10792-10014	14-R
10792-10016	16-R
10792-20008	8-L
10792-20010	10-L
10792-20012	12-L
10792-20014	14-L
10792-20016	16-L

Locking Distal Humeral Y Plate




REF. NO (TI)	HOLES
10762-10009	9-R
10762-10010	10-R
10762-10011	11-R
10762-10012	12-R
10762-20009	9-L
10762-20010	10-L
10762-20011	11-L
10762-20012	12-L

Locking Proximal Lateral Humeral Plate



REF. NO (TI)	HOLES
10922-10012	12-R
10922-10014	14-R
10922-10016	16-R
10922-10018	18-R
10922-10020	20-R
10922-20012	12-L
10922-20014	14-L
10922-20016	16-L
10922-20018	18-L
10922-20020	20-L

Minimally Invasive Locking Proximal Lateral Humeral Plate



REF. NO (TI)	HOLES
12682-10012	12-R
12682-10014	14-R
12682-10016	16-R
12682-10018	18-R
12682-10020	20-R
12682-20012	12-L
12682-20014	14-L
12682-20016	16-L
12682-20018	18-L
12682-20020	20-L

Locking Distal Posterior Humeral Plate



REF. NO (TI)	HOLES
11412-10006	6-R
11412-10007	7-R
11412-10008	8-R
11412-10009	9-R
11412-10010	10-R
11412-10012	12-R
11412-20006	6-L
11412-20007	7-L
11412-20008	8-L
11412-20009	9-L
11412-20010	10-L
11412-20012	12-L

## Locking Olecranon Plate



REF. NO (TI)	HOLES
10872-10008	8-R
10872-10010	10-R
10872-10012	12-R
10872-10014	14-R
10872-20008	8-L
10872-20010	10-L
10872-20012	12-L
10872-20014	14-L

## Angled Blade Plate 90° Plate



REF. NO (TI)	BLADE LENGTH	HOLES
11432-28003	28 mm	3
11432-28004	28 mm	4
11432-28005	28 mm	5
11432-28006	28 mm	6
11432-28007	28 mm	7
11432-28008	28 mm	8
11432-33003	33 mm	3
11432-33004	33 mm	4
11432-33005	33 mm	5
11432-33006	33 mm	6
11432-33007	33 mm	7
11432-33008	33 mm	8
11432-38003	38 mm	3
11432-38004	38 mm	4
11432-38005	38 mm	5
11432-38006	38 mm	6
11432-38007	38 mm	7
11432-38008	38 mm	8

## Angled Blade Plate 135° Plate



REF. NO (TI)	BLADE LENGTH	HOLES
11352-28003	28 mm	3
11352-28004	28 mm	4
11352-28005	28 mm	5
11352-28006	28 mm	6
11352-28007	28 mm	7
11352-28008	28 mm	8
11352-33003	33 mm	3
11352-33004	33 mm	4
11352-33005	33 mm	5
11352-33006	33 mm	6
11352-33007	33 mm	7
11352-33008	33 mm	8
11352-38003	38 mm	3
11352-38004	38 mm	4
11352-38005	38 mm	5
11352-38006	38 mm	6
11352-38007	38 mm	7
11352-38008	38 mm	8

## Hand Carpus (Arthrodesis) Plate



REF. NO (TI)	HOLES
12622-00008	8

## Locking Distal Medial Tibial Point Plate 3.5 mm



REF. NO (TI)	HOLES
10992-10013	13-R
10992-10015	15-R
10992-10017	17-R
10992-10019	19-R
10992-10021	21-R
10992-20013	13-L
10992-20015	15-L
10992-20017	17-L
10992-20019	19-L
10992-20021	21-L

## Patella Plate



REF. NO (TI)	HOLES
12782-00010	S
12782-00020	M
12782-00030	L

## Locking Adjustable High Tibia Osteotomy Plate



REF. NO (TI)	REF. NO (TI)
11252-00020	11252-00015

# Plate Systems

Small Fragment Locking Plate System

## Posterior Wall Acetabular Plate



REF. NO (TI)	HOLES
11862-10009	9-R
11862-10010	10-R
11862-10011	11-R
11862-10012	12-R
11862-20009	9-L
11862-20010	10-L
11862-20011	11-L
11862-20012	12-L

## Iliopectineal Pelvic Plate



REF. NO (TI)	HOLES
11852-10009	9-R
11852-10010	10-R
11852-10011	11-R
11852-10012	12-R
11852-20009	9-L
11852-20010	10-L
11852-20011	11-L
11852-20012	12-L

## Anterior Brim Pelvic Plate



REF. NO (TI)	HOLES
11302-10009	9-R
11302-10010	10-R
11302-10011	11-R
11302-10012	12-R
11302-10013	13-R
11302-20009	9-L
11302-20010	10-L
11302-20011	11-L
11302-20012	12-L
11302-20013	13-L

## Acetabular Hook Plate



REF. NO (TI)	HOLES
11902-00002	2
11902-00003	3
11902-00004	4
11902-00005	5
11902-00006	6

## Symphysis Pubis Pelvic Plate




REF. NO (TI)	HOLES	SIZE
11922-00010	4	Small
11922-00030	4	Medium
11922-00020	4	Long

## Superior Sacroiliac Plate




REF. NO (TI)
11892-00010

## Locking Butterfly Pelvic Plate



REF. NO (TI)	HOLES
11292-00023	23

### Locking Distal Clavicle Plate



REF. NO (Ti)	HOLES
11012-10014	14-R
11012-10017	17-R
11012-20014	14-L
11012-20017	17-L

### Locking Clavicle Plate



REF. NO (Ti)	HOLES
10812-10006	6-R
10812-10008	8-R
10812-10010	10-R
10812-10012	12-R
10812-20006	6-L
10812-20008	8-L
10812-20010	10-L
10812-20012	12-L

### Locking Clavicle Hook Plate



REF. NO (Ti)	HOLES
10802-10005	5-R
10802-10007	7-R
10802-10009	9-R
10802-20005	5-L
10802-20007	7-L
10802-20009	9-L

### Locking Straight Reconstruction Plate



REF. NO (Ti)	HOLES
11052-00004	4
11052-00005	5
11052-00006	6
11052-00007	7
11052-00008	8
11052-00009	9
11052-00010	10
11052-00012	12
11052-00014	14
11052-00016	16
11052-00018	18
11052-00020	20

### Curved Reconstruction Plate



REF. NO (Ti)	HOLES
11332-00003	3
11332-00004	4
11332-00005	5
11332-00006	6
11332-00007	7
11332-00008	8
11332-00009	9
11332-00010	10
11332-00011	11
11332-00012	12
11332-00013	13
11332-00014	14
11332-00015	15
11332-00016	16

### Locking Distal Lateral Fibular Plate



REF. NO (Ti)	HOLES
10942-10009	9-R
10942-10011	11-R
10942-10013	13-R
10942-10015	15-R
10942-10017	17-R
10942-20009	9-L
10942-20011	11-L
10942-20013	13-L
10942-20015	15-L
10942-20017	17-L

Locking Distal Fibular Plate



REF. NO (TI)	HOLES
10972-10009	9-R
10972-10011	11-R
10972-10013	13-R
10972-20009	9-L
10972-20011	11-L
10972-20013	13-L

Locking Pilon Plate




REF. NO (TI)	HOLES
10822-00020	20
10822-00022	22

Locking Calcaneal F-Y Plate



REF. NO F (TI)	REF. NO Y (TI)	HOLES
11082-10046	11082-10146	46-R
11082-10060	11082-10160	60-R
11082-10070	11082-10170	70-R
11082-20046	11082-20146	46-L
11082-20060	11082-20160	60-L
11082-20070	11082-20170	70-L

Locking Lateral Calcaneal Plate



REF. NO (TI)	HOLES
10732-10018	18-R
10732-10020	20-R
10732-20018	18-L
10732-20020	20-L

Eight Plate



REF. NO (TI)	SIZE (mm)
11802-00012	12
11802-00016	16
11802-00020	20
11802-00024	24

## Locking Screw (Ø 3.5 mm)




REF. NO (Ti)	SIZE (mm)
20342-35012	12
20342-35014	14
20342-35016	16
20342-35018	18
20342-35020	20
20342-35022	22
20342-35024	24
20342-35026	26
20342-35028	28
20342-35030	30
20342-35032	32
20342-35034	34
20342-35036	36
20342-35038	38
20342-35040	40
20342-35042	42
20342-35044	44
20342-35046	46
20342-35048	48
20342-35050	50
20342-35055	55
20342-35060	60
20342-35065	65
20342-35070	70

## Cortical Screw (Ø 3.5 mm)



REF. NO (Ti)	SIZE (mm)
20302-35012	12
20302-35014	14
20302-35016	16
20302-35018	18
20302-35020	20
20302-35022	22
20302-35024	24
20302-35026	26
20302-35028	28
20302-35030	30
20302-35032	32
20302-35034	34
20302-35036	36
20302-35038	38
20302-35040	40
20302-35042	42
20302-35044	44
20302-35046	46
20302-35048	48
20302-35050	50
20302-35052	52
20302-35055	55
20302-35060	60
20302-35065	65
20302-35070	70
20302-35075	75
20302-35080	80
20302-35085	85
20302-35090	90
20302-35095	95
20302-35100	100
20302-35105	105
20302-35110	110
20302-35115	115
20302-35120	120

## Locking Cancellous Screw (Ø 4.0 mm)



REF. NO (Ti)	SIZE (mm)
20402-40012	12
20402-40014	14
20402-40016	16
20402-40018	18
20402-40020	20
20402-40022	22
20402-40024	24
20402-40026	26
20402-40028	28
20402-40030	30
20402-40032	32
20402-40034	34
20402-40036	36
20402-40038	38
20402-40040	40
20402-40042	42
20402-40044	44
20402-40046	46
20402-40048	48
20402-40050	50
20402-40052	52
20402-40054	54

## Cancellous Screw (Ø 4.0 mm)



REF. NO (Ti) (1/2 Threaded)	Ref. No (Ti) (1/3 Threaded)	SIZE (mm)
20312-40012	21072-40012	12
20312-40014	21072-40014	14
20312-40016	21072-40016	16
20312-40018	21072-40018	18
20312-40020	21072-40020	20
20312-40022	21072-40022	22
20312-40024	21072-40024	24
20312-40026	21072-40026	26
20312-40028	21072-40028	28
20312-40030	21072-40030	30
20312-40032	21072-40032	32
20312-40034	21072-40034	34
20312-40036	21072-40036	36
20312-40038	21072-40038	38
20312-40040	21072-40040	40
20312-40042	21072-40042	42
20312-40044	21072-40044	44
20312-40046	21072-40046	46
20312-40048	21072-40048	48
20312-40050	21072-40050	50
20312-40052	21072-40052	52
20312-40054	21072-40054	54
-	21072-40056	56
-	21072-40058	58
-	21072-40060	60

## Locking Screw (Ø 2.7 mm)



REF. NO (Ti)	SIZE (mm)
20332-27012	12
20332-27014	14
20332-27016	16
20332-27018	18
20332-27020	20
20332-27022	22
20332-27024	24
20332-27026	26
20332-27028	28
20332-27030	30
20332-27032	32
20332-27034	34
20332-27036	36
20332-27038	38
20332-27040	40
20332-27042	42
20332-27044	44
20332-27046	46
20332-27048	48
20332-27050	50

## Cortical Screw (Ø 2.7 mm)



REF. NO (Ti)	SIZE (mm)
20272-27012	12
20272-27014	14
20272-27016	16
20272-27018	18
20272-27020	20
20272-27022	22
20272-27024	24
20272-27026	26
20272-27028	28
20272-27030	30
20272-27032	32
20272-27034	34
20272-27036	36
20272-27038	38
20272-27040	40
20272-27042	42
20272-27044	44
20272-27046	46
20272-27048	48
20272-27050	50

## Malleolar Screws (Ø 4.5 mm)



REF. NO (Ti)	SIZE (mm)
20372-45025	25
20372-45030	30
20372-45035	35
20372-45040	40
20372-45045	45
20372-45050	50
20372-45055	55
20372-45060	60
20372-45065	65
20372-45070	70
20372-45075	75
20372-45080	80
20372-45085	85

## Locking Screws (Ø 2.4 mm)



REF. NO (Ti)	SIZE (mm)
20292-24012	12
20292-24014	14
20292-24016	16
20292-24018	18
20292-24020	20
20292-24022	22
20292-24024	24
20292-24026	26
20292-24028	28
20292-24030	30

## Locking Cannulated Screws (Ø 3.5 mm)




REF. NO (Ti)	SIZE (mm)
21162-35012	12
21162-35014	14
21162-35016	16
21162-35018	18
21162-35020	20
21162-35022	22
21162-35024	24
21162-35026	26
21162-35028	28
21162-35030	30
21162-35032	32
21162-35034	34
21162-35036	36
21162-35038	38
21162-35040	40
21162-35042	42
21162-35044	44
21162-35046	46
21162-35048	48
21162-35050	50
21162-35055	55
21162-35060	60
21162-35065	65
21162-35070	70

Locking DHS Plate 135°



REF. NO (Ti)	SIZE (mm)
11382-00003	3
11382-00004	4
11382-00005	5
11382-00006	6
11382-00007	7
11382-00008	8
11382-00009	9
11382-00010	10
11382-00011	11
11382-00012	12
11382-00013	13
11382-00014	14
11382-00015	15
11382-00016	16

Locking DCS Plate 95°



REF. NO (Ti)	SIZE (mm)
11342-00003	3
11342-00004	4
11342-00005	5
11342-00006	6
11342-00007	7
11342-00008	8
11342-00009	9
11342-00010	10
11342-00011	11
11342-00012	12
11342-00013	13
11342-00014	14
11342-00015	15
11342-00016	16

DHS / DCS Lag Screw

REF. NO (Ti)	SIZE (mm)
11372-00050	50
11372-00055	55
11372-00060	60
11372-00065	65
11372-00070	70
11372-00075	75
11372-00080	80
11372-00085	85
11372-00090	90
11372-00095	95
11372-00100	100
11372-00105	105
11372-00110	110
11372-00115	115
11372-00120	120



DHS/DCS Lag Compression Screw



REF. NO (Ti)
11362-00000

## Locking LCP Straight Plate 2.0 mm



REF. NO (TI)	HOLES
12892-00004	4
12892-00005	5
12892-00006	6
12892-00007	7
12892-00008	8

## Locking LCP T Plate Type-II 2.0 mm



REF. NO (TI)	HOLES
12912-00023	2+3
12912-00025	2+5
12912-00027	2+7

## Locking LCP T Plate 2.0 mm



REF. NO (TI)	HOLES
12922-00033	3+3
12922-00035	3+5
12922-00037	3+7

## Locking LCP Y Plate 2.0 mm



REF. NO (TI)	HOLES
12932-00033	3+3
12932-00035	3+5
12932-00037	3+7

## Cortex Screw Ø 2.0 mm



REF. NO (TI)	SIZE (mm)
21232-20006	6
21232-20007	7
21232-20008	8
21232-20009	9
21232-20010	10
21232-20011	11
21232-20012	12
21232-20013	13
21232-20014	14
21232-20015	15
21232-20016	16
21232-20017	17
21232-20018	18
21232-20019	19
21232-20020	20
21232-20022	22
21232-20024	24
21232-20026	26
21232-20028	28
21232-20030	30

## Locking Screw Ø 2.0 mm



REF. NO (TI)	SIZE (mm)
21242-20006	6
21242-20007	7
21242-20008	8
21242-20009	9
21242-20010	10
21242-20011	11
21242-20012	12
21242-20013	13
21242-20014	14
21242-20015	15
21242-20016	16
21242-20017	17
21242-20018	18
21242-20019	19
21242-20020	20
21242-20022	22
21242-20024	24
21242-20026	26
21242-20028	28
21242-20030	30

## Locking LCP T Plate Type-I 2.0 mm



REF. NO (TI)	HOLES
12902-00023	2+3
12902-00025	2+5
12902-00027	2+7

## Locking LCP Reconstruction Plate 2.0 mm



REF. NO (TI)	HOLES
12642-00006	6
12642-00012	12

**Locking LCP Straight Plate**  
2.4 mm



REF. NO (Ti)	HOLES
12692-00004	4
12692-00005	5
12692-00006	6
12692-00007	7
12692-00008	8
11692-00010	10

**T Phalange Plate Type-II**  
2.4 mm



REF. NO (Ti)	TYPE
12722-00023	2+3
12722-00025	2+5
12722-00027	2+7

**Locking LCP T Plate**  
2.4 mm



REF. NO (Ti)	HOLES
12732-00033	3+3
12732-00035	3+5
12732-00037	3+7

**Locking LCP Y Plate**  
2.4 mm



REF. NO (Ti)	HOLES
12742-00033	3+3
12742-00035	3+5
12742-00037	3+7

**Cortex Screw**  
Ø 2.4 mm



REF. NO (Ti)	SIZE (mm)
21252-20006	6
21252-20007	7
21252-20008	8
21252-20009	9
21252-20010	10
21252-20011	11
21252-20012	12
21252-20013	13
21252-20014	14
21252-20015	15
21252-20016	16
21252-20017	17
21252-20018	18
21252-20019	19
21252-20020	20
21252-20022	22
21252-20024	24
21252-20026	26
21252-20028	28
21252-20030	30

**Locking Screw**  
Ø 2.4 mm



REF. NO (Ti)	SIZE (mm)
21262-20006	6
21262-20007	7
21262-20008	8
21262-20009	9
21262-20010	10
21262-20011	11
21262-20012	12
21262-20013	13
21262-20014	14
21262-20015	15
21262-20016	16
21262-20017	17
21262-20018	18
21262-20019	19
21262-20020	20
21262-20022	22
21262-20024	24
21262-20026	26
21262-20028	28
21262-20030	30

**T Phalange Plate Type-I**  
2.4 mm



REF. NO (Ti)	TYPE
12712-00023	2+3
12712-00025	2+5
12712-00027	2+7

**Locking LCP Straight Reconstruction Plate**  
2.4 mm



REF. NO (Ti)	HOLES
12702-00006	6
12702-00012	12

## Locking LCP Straight Plate 2.7 mm



REF. NO (Ti)	HOLES
12942-00004	4
12942-00005	5
12942-00006	6
12942-00007	7
12942-00008	8
12942-00010	10

## Locking LCP T Plate Type-II 2.7 mm



REF. NO (Ti)	HOLES
12952-00023	2+3

## Locking LCP T Plate Type-I 2.7 mm



REF. NO (Ti)	HOLES
12772-00023	2+3
12772-00025	2+5
12772-00027	2+7

## Locking LCP L Plate 2.7 mm



REF. NO (Ti)	HOLES
12732-10003	3-R
12732-20003	3-L
12732-10004	4-R
12732-20004	4-L

## Cortex Screw Ø 2.7 mm



REF. NO (Ti)	SIZE (mm)
21272-20006	6
21272-20007	7
21272-20008	8
21272-20009	9
21272-20010	10
21272-20011	11
21272-20012	12
21272-20013	13
21272-20014	14
21272-20015	15
21272-20016	16
21272-20017	17
21272-20018	18
21272-20019	19
21272-20020	20
21272-20022	22
21272-20024	24
21272-20026	26
21272-20028	28
21272-20030	30

## Locking Screw Ø 2.7 mm



REF. NO (Ti)	SIZE (mm)
21282-20006	6
21282-20007	7
21282-20008	8
21282-20009	9
21282-20010	10
21282-20011	11
21282-20012	12
21282-20013	13
21282-20014	14
21282-20015	15
21282-20016	16
21282-20017	17
21282-20018	18
21282-20019	19
21282-20020	20
21282-20022	22
21282-20024	24
21282-20026	26
21282-20028	28
21282-20030	30

## Locking LCP Oblique L Plate 2.7 mm



REF. NO (Ti)	HOLES
12742-10003	3-R
12742-20003	3-L
12742-10004	4-R
12742-20004	4-L

## Locking LCP Reconstruction Plate 2.7 mm



REF. NO (Ti)	HOLES
12762-00006	6
12762-00012	12

## U Staple



REF. NO (Ti)	REF. NO (CoCrMo Alloy)	SIZE (mm)
60102-00006	60103-00006	6
60102-00008	60103-00008	8
60102-00010	60103-00010	10
60102-00012	60103-00012	12

### Cannulated Screws (Ø 3.5 mm)



REF. NO (Ti)	SIZE (mm)
20562-35012	12
20562-35014	14
20562-35016	16
20562-35018	18
20562-35020	20
20562-35022	22
20562-35024	24
20562-35026	26
20562-35028	28
20562-35030	30
20562-35032	32
20562-35034	34
20562-35036	36
20562-35038	38
20562-35040	40
20562-35042	42
20562-35044	44
20562-35046	46
20562-35048	48
20562-35050	50

### Cannulated Screws (Ø 4.5 mm)



REF. NO (Ti)	SIZE (mm)
20582-45022	22
20582-45024	24
20582-45026	26
20582-45028	28
20582-45030	30
20582-45032	32
20582-45034	34
20582-45036	36
20582-45038	38
20582-45040	40
20582-45042	42
20582-45044	44
20582-45046	46
20582-45048	48
20582-45050	50
20582-45052	52
20582-45054	54
20582-45056	56
20582-45058	58
20582-45060	60

### Cannulated Screws (Ø 7.3 mm) (16 mm Threaded)



REF. NO (Ti)	SIZE (mm)
20602-73050	50
20602-73055	55
20602-73060	60
20602-73065	65
20602-73070	70
20602-73075	75
20602-73080	80
20602-73085	85
20602-73090	90
20602-73095	95
20602-73100	100
20602-73105	105
20602-73110	110
20602-73115	115
20602-73120	120

### Cannulated Screws (Ø 7.3 mm) (32 mm Threaded)



REF. NO (Ti)	SIZE (mm)
21222-73050	50
21222-73055	55
21222-73060	60
21222-73065	65
21222-73070	70
21222-73075	75
21222-73080	80
21222-73085	85
21222-73090	90
21222-73095	95
21222-73100	100
21222-73105	105
21222-73110	110
21222-73115	115
21222-73120	120

### Washer

Ø7.3 mm - Ø4.5 mm - Ø3.5 mm



REF. NO (Ti)	SIZE (mm)
20572-35000	3.5 mm
20592-45000	4.5 mm
20612-73000	7.3 mm

# Screws

Cannulated Headless/Herbert Compression Screws

## Headless Cannulated Screws

(Ø 2.5 mm)

REF. NO (TI)	SIZE (mm)
20452-25008	8
20452-25010	10
20452-25012	12
20452-25014	14
20452-25016	16
20452-25018	18



## Headless Cannulated Screws

(Ø 3.5 mm)


REF. NO (TI)	SIZE (mm)
20462-35016	16
20462-35018	18
20462-35020	20
20462-35022	22
20462-35024	24
20462-35026	26
20462-35028	28
20462-35030	30



## Headless Cannulated Screws

(Ø 4.0 mm)

REF. NO (TI)	SIZE (mm)
20472-40016	16
20472-40018	18
20472-40020	20
20472-40022	22
20472-40024	24
20472-40026	26
20472-40028	28
20472-40030	30



## Headless Cannulated Screws

(Ø 5.0 mm)

REF. NO (TI)	SIZE (mm)
20472-50025	25
20472-50030	30
20472-50035	35
20472-50040	40
20472-50045	45
20472-50050	50



## Headless Cannulated Screws

(Ø 6.5 mm)

REF. NO (TI)	SIZE (mm)
20472-65035	35
20472-65040	40
20472-65045	45
20472-65050	50
20472-65055	55
20472-65060	60
20472-65065	65
20472-65070	70
20472-65075	75
20472-65080	80





## Cannulated Herbert Screws

(Ø 3.0 mm)

REF. NO (TI)	SIZE (mm)
20622-30012	12
20622-30014	14
20622-30016	16
20622-30018	18
20622-30020	20
20622-30022	22
20622-30024	24
20622-30026	26
20622-30028	28
20622-30030	30



Calcar Replacement Sandblasting Stem (Cemented)

REF. NO (SS)	REF. NO (CoCrMo Alloy)	SIZE (mm)
70011-02509	70013-02509	25-9
70011-02511	70013-02511	25-11
70011-02513	70013-02513	25-13
70011-03509	70013-03509	35-9
70011-03511	70013-03511	35-11
70011-03513	70013-03513	35-13
70011-04509	70013-04509	45-9
70011-04511	70013-04511	45-11
70011-04513	70013-04513	45-13
70011-05509	70013-05509	55-9
70011-05511	70013-05511	55-11
70011-05513	70013-05513	55-13

Calcar Replacement Stem (Cementless)






REF. NO (CoCrMo Alloy) (Dual Coated)	SIZE (mm)
70013-03251	25-9
70013-03252	25-11
70013-03253	25-13
70013-03351	35-9
70013-03352	35-11
70013-03353	35-13
70013-03451	45-9
70013-03452	45-11
70013-03453	45-13
70013-03551	55-9
70013-03552	55-11
70013-03553	55-13

Femoral Stem (Cemented)





REF. NO (CoCrMo)	SIZE (mm)
70023-00070	7
70023-00080	8
70023-00090	9
70023-00100	10
70023-00110	11
70023-00120	12

Femoral Stem Dual Coated (Cementless)


REF. NO (Titanium Alloy) (Dual Coated)	SIZE (mm)
70022-00075	7.5
70022-00085	8.5
70022-00090	9
70022-00100	10
70022-00110	11
70022-00120	12
70022-00135	13.5

Distal Centralizer



REF. NO (UHMWPE)
70079-00000

Cement Plug



REF. NO (UHMWPE)	SIZE (mm)
70069-00009	Ø 9
70069-00010	Ø 10
70069-00011	Ø 11
70069-00012	Ø 12
70069-00013	Ø 13
70069-00014	Ø 14
70069-00015	Ø 15
70069-00016	Ø 16
70069-00017	Ø 17
70069-00018	Ø 18

## Acetabular Cup Dual Coated (Cementless)



REF. NO (Titanium Alloy) (Dual Coated)	SIZE (mm)
70122-00042	Ø 42/22
70122-00044	Ø 44/22
70122-00046	Ø 46/22
70122-00048	Ø 48/28
70122-00050	Ø 50/28
70122-00052	Ø 52/28
70122-00054	Ø 54/28
70122-00056	Ø 56/28
70122-00058	Ø 58/28
70122-00060	Ø 60/28
70122-00062	Ø 62/28

## Acetabular Cup Poros Coated (Cementless)



REF. NO (Titanium Alloy) (Plazma/Poros Coated)	SIZE (mm)
70102-00042	Ø 42/22
70102-00044	Ø 44/22
70102-00046	Ø 46/22
70102-00048	Ø 48/28
70102-00050	Ø 50/28
70102-00052	Ø 52/28
70102-00054	Ø 54/28
70102-00056	Ø 56/28
70102-00058	Ø 58/28
70102-00060	Ø 60/28
70102-00062	Ø 62/28

## Acetabular Liner




REF. NO (UHMWPE) (0°-10°-20°)	SIZE (mm)
70149-00042	Ø 42/22
70149-00044	Ø 44/22
70149-00046	Ø 46/22
70149-00048	Ø 48/28
70149-00050	Ø 50/28
70149-00052	Ø 52/28
70149-00054	Ø 54/28
70149-00056	Ø 56/28
70149-00058	Ø 58/28
70149-00060	Ø 60/28
70149-00062	Ø 62/28

## Acetabular Cup (Cemented)



REF. NO (UHMWPE) (0°-10°)	SIZE (mm)
70139-00042	Ø 42/28
70139-00044	Ø 44/28
70139-00046	Ø 46/28
70139-00048	Ø 48/28
70139-00050	Ø 50/28
70139-00052	Ø 52/28
70139-00054	Ø 54/28
70139-00056	Ø 56/28
70139-00058	Ø 58/28
70139-00060	Ø 60/28
70139-00062	Ø 62/28

## Acetabular Screw



REF. NO (Ti)	SIZE (mm)
70152-00015	15
70152-00020	20
70152-00025	25
70152-00030	30
70152-00035	35
70152-00040	40
70152-00045	45

## Bipolar Head



REF. NO (SS)	REF. NO (CoCrMo Alloy)	SIZE (mm)
70051-28042	70053-28042	Ø 42/28
70051-28044	70053-28044	Ø 44/28
70051-28046	70053-28046	Ø 46/28
70051-28048	70053-28048	Ø 48/28
70051-28050	70053-28050	Ø 50/28
70051-28052	70053-28052	Ø 52/28
70051-28054	70053-28054	Ø 54/28
70051-28056	70053-28056	Ø 56/28
70051-28058	70053-28058	Ø 58/28

## Femoral Head Modular Ø 22 mm 12/14 mm



REF. NO (SS)	REF. NO (CoCrMo Alloy)	SIZE (mm)
70041-22001	70043-22001	22+0 (M)
70041-22002	70043-22002	22+4 (L)


## Femoral Head Modular Ø 28 mm 12/14 mm



REF. NO (SS)	REF. NO (CoCrMo Alloy)	SIZE (mm)
70041-28001	70043-28001	28-3 (S)
70041-28002	70043-28002	28+0 (M)
70041-28003	70043-28003	28+4 (L)
70041-28004	70043-28004	28+6 (XL)
70041-28005	70043-28005	28+8 (XXL)

## Throchanteric Grip

REF. NO (Ti)	SIZE
12962-00001	S
12962-00002	M
12962-00003	L



5.0 Locking Screw

## Cable



REF. NO (Ti)	REF. NO (SS)	REF. NO (CoCrMo)	SIZE (mm)
60082-20700	60081-20700	60083-20700	Ø2.0x700mm



### GFN Multi-Purpose Femoral Nail Systems

REF. NO (TI)	SIZE (mm)
40502-09180	Ø 9x180 mm
40502-09200	Ø 9x200 mm
40502-09220	Ø 9x220 mm
40502-09240	Ø 9x240 mm
40502-10180	Ø 10x180 mm
40502-10200	Ø 10x200 mm
40502-10220	Ø 10x220 mm
40502-10240	Ø 10x240 mm
40502-11180	Ø 11x180 mm
40502-11200	Ø 11x200 mm
40502-11220	Ø 11x220 mm
40502-11240	Ø 11x240 mm
40502-12180	Ø 12x180 mm
40502-12200	Ø 12x200 mm
40502-12220	Ø 12x220 mm
40502-12240	Ø 12x240 mm
40502-13180	Ø 13x180 mm
40502-13200	Ø 13x200 mm
40502-13220	Ø 13x220 mm
40502-13240	Ø 13x240 mm
40502-14180	Ø 14x180 mm
40502-14200	Ø 14x200 mm
40502-14220	Ø 14x220 mm
40502-14240	Ø 14x240 mm

### RIGHT

REF. NO (TI)	SIZE (mm)
40522-09320	Ø 9x320 mm - R
40522-09340	Ø 9x340 mm - R
40522-09360	Ø 9x360 mm - R
40522-09380	Ø 9x380 mm - R
40522-09400	Ø 9x400 mm - R
40522-09420	Ø 9x420 mm - R
40522-09440	Ø 9x440 mm - R
40522-10320	Ø 10x320 mm - R
40522-10340	Ø 10x340 mm - R
40522-10360	Ø 10x360 mm - R
40522-10380	Ø 10x380 mm - R
40522-10400	Ø 10x400 mm - R
40522-10420	Ø 10x420 mm - R
40522-10440	Ø 10x440 mm - R
40522-11320	Ø 11x320 mm - R
40522-11340	Ø 11x340 mm - R
40522-11360	Ø 11x360 mm - R
40522-11380	Ø 11x380 mm - R
40522-11400	Ø 11x400 mm - R
40522-11420	Ø 11x420 mm - R
40522-11440	Ø 11x440 mm - R

## RIGHT

REF. NO (Ti)	SIZE (mm)
40522-12320	Ø 12x320 mm - R
40522-12340	Ø 12x340 mm - R
40522-12360	Ø 12x360 mm - R
40522-12380	Ø 12x380 mm - R
40522-12400	Ø 12x400 mm - R
40522-12420	Ø 12x420 mm - R
40522-12440	Ø 12x440 mm - R
40522-13320	Ø 13x320 mm - R
40522-13340	Ø 13x340 mm - R
40522-13360	Ø 13x360 mm - R
40522-13380	Ø 13x380 mm - R
40522-13400	Ø 13x400 mm - R
40522-13420	Ø 13x420 mm - R
40522-13440	Ø 13x440 mm - R
40522-14320	Ø 14x320 mm - R
40522-14340	Ø 14x340 mm - R
40522-14360	Ø 14x360 mm - R
40522-14380	Ø 14x380 mm - R
40522-14400	Ø 14x400 mm - R
40522-14420	Ø 14x420 mm - R
40522-14440	Ø 14x440 mm - R

## LEFT

REF. NO (Ti)	SIZE (mm)
40532-09320	Ø 9x320 mm - L
40532-09340	Ø 9x340 mm - L
40532-09360	Ø 9x360 mm - L
40532-09380	Ø 9x380 mm - L
40532-09400	Ø 9x400 mm - L
40532-09420	Ø 9x420 mm - L
40532-09440	Ø 9x440 mm - L
40532-10320	Ø 10x320 mm - L
40532-10340	Ø 10x340 mm - L
40532-10360	Ø 10x360 mm - L
40532-10380	Ø 10x380 mm - L
40532-10400	Ø 10x400 mm - L
40532-10420	Ø 10x420 mm - L
40532-10440	Ø 10x440 mm - L
40532-11320	Ø 11x320 mm - L
40532-11340	Ø 11x340 mm - L
40532-11360	Ø 11x360 mm - L
40532-11380	Ø 11x380 mm - L
40532-11400	Ø 11x400 mm - L
40532-11420	Ø 11x420 mm - L
40532-11440	Ø 11x440 mm - L

## LEFT

REF. NO (Ti)	SIZE (mm)
40532-12320	Ø 12x320 mm - L
40532-12340	Ø 12x340 mm - L
40532-12360	Ø 12x360 mm - L
40532-12380	Ø 12x380 mm - L
40532-12400	Ø 12x400 mm - L
40532-12420	Ø 12x420 mm - L
40532-12440	Ø 12x440 mm - L
40532-13320	Ø 13x320 mm - L
40532-13340	Ø 13x340 mm - L
40532-13360	Ø 13x360 mm - L
40532-13380	Ø 13x380 mm - L
40532-13400	Ø 13x400 mm - L
40532-13420	Ø 13x420 mm - L
40532-12440	Ø 12x440 mm - L
40532-14320	Ø 14x320 mm - L
40532-14340	Ø 14x340 mm - L
40532-14360	Ø 14x360 mm - L
40532-14380	Ø 14x380 mm - L
40532-14400	Ø 14x400 mm - L
40532-14420	Ø 14x420 mm - L
40532-14440	Ø 14x440 mm - L

## Proximal/Distal Locking Screw For GFN (Ø 4.8 mm)



REF. NO (TI)	SIZE (mm)
40552-48030	Ø 4.8x30 mm
40552-48035	Ø 4.8x35 mm
40552-48040	Ø 4.8x40 mm
40552-48045	Ø 4.8x45 mm
40552-48050	Ø 4.8x50 mm
40552-48055	Ø 4.8x55 mm
40552-48060	Ø 4.8x60 mm
40552-48065	Ø 4.8x65 mm
40552-48070	Ø 4.8x70 mm
40552-48075	Ø 4.8x75 mm
40552-48080	Ø 4.8x80 mm
40552-48085	Ø 4.8x85 mm
40552-48090	Ø 4.8x90 mm

## Femoral Lag Screw For GFN (Ø 6.4 mm)



REF. NO (TI)	SIZE (mm)
40562-64050	Ø 6.4x50 mm
40562-64055	Ø 6.4x55 mm
40562-64060	Ø 6.4x60 mm
40562-64065	Ø 6.4x65 mm
40562-64070	Ø 6.4x70 mm
40562-64075	Ø 6.4x75 mm
40562-64080	Ø 6.4x80 mm
40562-64085	Ø 6.4x85 mm
40562-64090	Ø 6.4x90 mm
40562-64095	Ø 6.4x95 mm
40562-64100	Ø 6.4x100 mm
40562-64105	Ø 6.4x105 mm
40562-64110	Ø 6.4x110 mm
40562-64115	Ø 6.4x115 mm
40562-64120	Ø 6.4x120 mm

## GFN End Cap



REF. NO (TI)	SIZE (mm)
40512-00000	0
40512-00005	5
40512-00010	10

## Proximal Lag Fixing Screw For GFN



REF. NO (TI)
40572-00000



### Cannulated Intramedullary Retrograde Femoral Nail

REF. NO (TI)	SIZE (mm)
40302-09200	Ø 9x200 mm
40302-09220	Ø 9x220 mm
40302-09240	Ø 9x240 mm
40302-09260	Ø 9x260 mm
40302-09280	Ø 9x280 mm
40302-09300	Ø 9x300 mm
40302-09320	Ø 9x320 mm
40302-09340	Ø 9x340 mm
40302-09360	Ø 9x360 mm
40302-10200	Ø 10x200 mm
40302-10220	Ø 10x220 mm
40302-10240	Ø 10x240 mm
40302-10260	Ø 10x260 mm
40302-10280	Ø 10x280 mm
40302-10300	Ø 10x300 mm
40302-10320	Ø 10x320 mm
40302-10340	Ø 10x340 mm
40302-10360	Ø 10x360 mm
40302-11200	Ø 11x200 mm
40302-11220	Ø 11x220 mm
40302-11240	Ø 11x240 mm
40302-11260	Ø 11x260 mm
40302-11280	Ø 11x280 mm
40302-11300	Ø 11x300 mm
40302-11320	Ø 11x320 mm
40302-11340	Ø 11x340 mm
40302-11360	Ø 11x360 mm

40302-12200	Ø 12x200 mm
40302-12220	Ø 12x220 mm
40302-12240	Ø 12x240 mm
40302-12260	Ø 12x260 mm
40302-12280	Ø 12x280 mm
40302-12300	Ø 12x300 mm
40302-12320	Ø 12x320 mm
40302-12340	Ø 12x340 mm
40302-12360	Ø 12x360 mm
40302-13180	Ø 13x180 mm
40302-13200	Ø 13x200 mm
40302-13220	Ø 13x220 mm
40302-13240	Ø 13x240 mm
40302-13260	Ø 13x260 mm
40302-13280	Ø 13x280 mm

### Retrograde Femoral Nail End Cap

REF. NO (TI)	SIZE (mm)
40312-00000	0
40312-00005	5
40312-00010	10





### GTN Tibial Nail Systems

REF. NO (Ti)	SIZE (mm)		
40492-07255	Ø 7x255 mm	40492-11255	Ø 11x255 mm
40492-07270	Ø 7x270 mm	40492-11270	Ø 11x270 mm
40492-07285	Ø 7x285 mm	40492-11285	Ø 11x285 mm
40492-07300	Ø 7x300 mm	40492-11300	Ø 11x300 mm
40492-07315	Ø 7x315 mm	40492-11315	Ø 11x315 mm
40492-07330	Ø 7x330 mm	40492-11330	Ø 11x330 mm
40492-07345	Ø 7x345 mm	40492-11345	Ø 11x345 mm
40492-07360	Ø 7x360 mm	40492-11360	Ø 11x360 mm
40492-07375	Ø 7x375 mm	40492-11375	Ø 11x375 mm
40492-08255	Ø 8x255 mm	40492-12255	Ø 12x255 mm
40492-08270	Ø 8x270 mm	40492-12270	Ø 12x270 mm
40492-08285	Ø 8x285 mm	40492-12285	Ø 12x285 mm
40492-08300	Ø 8x300 mm	40492-12300	Ø 12x300 mm
40492-08315	Ø 8x315 mm	40492-12315	Ø 12x315 mm
40492-08330	Ø 8x330 mm	40492-12330	Ø 12x330 mm
40492-08345	Ø 8x345 mm	40492-12345	Ø 12x345 mm
40492-08360	Ø 8x360 mm	40492-12360	Ø 12x360 mm
40492-08375	Ø 8x375 mm	40492-12375	Ø 12x375 mm
40492-09255	Ø 9x255 mm	40492-13255	Ø 13x255 mm
40492-09270	Ø 9x270 mm	40492-13270	Ø 13x270 mm
40492-09285	Ø 9x285 mm	40492-13285	Ø 13x285 mm
40492-09300	Ø 9x300 mm	40492-13300	Ø 13x300 mm
40492-09315	Ø 9x315 mm	40492-13315	Ø 13x315 mm
40492-09330	Ø 9x330 mm	40492-13330	Ø 13x330 mm
40492-09345	Ø 9x345 mm	40492-13345	Ø 13x345 mm
40492-09360	Ø 9x360 mm	40492-13360	Ø 13x360 mm
40492-09375	Ø 9x375 mm	40492-13375	Ø 13x375 mm
40492-10255	Ø 10x255 mm	40492-14255	Ø 14x255 mm
40492-10270	Ø 10x270 mm	40492-14270	Ø 14x270 mm
40492-10285	Ø 10x285 mm	40492-14285	Ø 14x285 mm
40492-10300	Ø 10x300 mm	40492-14300	Ø 14x300 mm
40492-10315	Ø 10x315 mm	40492-14315	Ø 14x315 mm
40492-10330	Ø 10x330 mm	40492-14330	Ø 14x330 mm
40492-10345	Ø 10x345 mm	40492-14345	Ø 14x345 mm
40492-10360	Ø 10x360 mm	40492-14360	Ø 14x360 mm
40492-10375	Ø 10x375 mm	40492-14375	Ø 14x375 mm

REF. NO (Ti)	SIZE (mm)
40492-00000	0
40492-00005	5
40492-00010	10

## Proximal Locking Screw For GTN (Ø 4.8 mm)



REF. NO (TI)	SIZE (mm)
40542-48030	Ø 4.8x30 mm
40542-48035	Ø 4.8x35 mm
40542-48040	Ø 4.8x40 mm
40542-48045	Ø 4.8x45 mm
40542-48050	Ø 4.8x50 mm
40542-48055	Ø 4.8x55 mm
40542-48060	Ø 4.8x60 mm
40542-48065	Ø 4.8x65 mm
40542-48070	Ø 4.8x70 mm
40542-48075	Ø 4.8x75 mm
40542-48080	Ø 4.8x80 mm
40542-48085	Ø 4.8x85 mm
40542-48090	Ø 4.8x90 mm

## Distal Locking Screw For GTN (Ø 4.3 mm)



REF. NO (TI)	SIZE (mm)
40542-43530	Ø 4.35x30 mm
40542-43535	Ø 4.35x35 mm
40542-43540	Ø 4.35x40 mm
40542-43545	Ø 4.35x45 mm
40542-43550	Ø 4.35x50 mm
40542-43555	Ø 4.35x55 mm
40542-43560	Ø 4.35x60 mm
40542-43565	Ø 4.35x65 mm
40542-43570	Ø 4.35x70 mm
40542-43575	Ø 4.35x75 mm
40542-43580	Ø 4.35x80 mm
40542-43585	Ø 4.35x85 mm
40542-43590	Ø 4.35x90 mm

### Cannulated Intramedullary Humeral Nail



REF. NO (TI)	SIZE (mm)
40262-07160	Ø 7x160 mm
40262-07180	Ø 7x180 mm
40262-07200	Ø 7x200 mm
40262-07220	Ø 7x220 mm
40262-07240	Ø 7x240 mm
40262-07260	Ø 7x260 mm
40262-07280	Ø 7x280 mm
40262-08160	Ø 8x160 mm
40262-08180	Ø 8x180 mm
40262-08200	Ø 8x200 mm
40262-08220	Ø 8x220 mm
40262-08240	Ø 8x240 mm
40262-08260	Ø 8x260 mm
40262-08280	Ø 8x280 mm
40262-09160	Ø 9x160 mm
40262-09180	Ø 9x180 mm
40262-09200	Ø 9x200 mm
40262-09220	Ø 9x220 mm
40262-09240	Ø 9x240 mm
40262-09260	Ø 9x260 mm
40262-09280	Ø 9x280 mm

### Locking Screws for Nails



REF. NO (TI)	SIZE (mm)
40222-00018	18
40222-00020	20
40222-00022	22
40222-00024	24
40222-00025	25
40222-00026	26
40222-00028	28
40222-00030	30
40222-00032	32
40222-00034	34
40222-00035	35
40222-00036	36
40222-00038	38
40222-00040	40
40222-00042	42
40222-00044	44
40222-00045	45
40222-00046	46
40222-00048	48
40222-00050	50
40222-00052	52
40222-00054	54
40222-00055	55
40222-00056	56
40222-00058	58
40222-00060	60
40222-00065	65
40222-00070	70

### Humeral Nail End Cap



REF. NO (TI)
40272-00000

Titanium Elastic Nail



REF. NO (Ti)	DIAMETER	LENGTH (mm)
40182-20044	Ø 2.0 mm	440
40182-25044	Ø 2.5 mm	440
40182-30044	Ø 3.0 mm	440
40182-35044	Ø 3.5 mm	440
40182-40044	Ø 4.0 mm	440
40182-45044	Ø 4.5 mm	440
40182-50044	Ø 5.0 mm	440
40182-55044	Ø 5.5 mm	440

Titanium Elastic Nail End Cap



REF. NO (Ti)	DIAMETER
40192-00020	Ø 2.0 mm
40192-00025	Ø 2.5 mm
40192-00030	Ø 3.0 mm
40192-00035	Ø 3.5 mm
40192-00040	Ø 4.0 mm
40192-00045	Ø 4.5 mm
40192-00050	Ø 5.0 mm
40192-00055	Ø 5.5 mm

### Extremity Elbow Fixator



REF. NO  
51578-00001

### Penning Type External Fixator



REF. NO	SIZE
51584-00001	Short
51584-00002	Medium
51584-00003	Long

### Segmantel Humerus Fixator



REF. NO	SIZE
51234-00010	Short
51234-00020	Medium
51234-00030	Long

### Wrist Fixator



REF. NO  
51608-00001

### Dynamic Axial External Fixator (Humerus)



REF. NO	SIZE
51514-0001	Short
51514-0002	Medium
51514-0003	Long

### Mini Tubular External Fixator (Kit)



REF. NO  
50044-00000

### T Clamp Humerus

REF. NO  
50918-00001



### Mini Hybrit External Fixator (Kit)



REF. NO  
50014-00000

### Lengthener Finger Fixator



REF. NO	SIZE
51734-00001	Short
51734-00002	Medium
51734-00003	Long

### Dynamic Finger Fixator



REF. NO  
51744-00001

### Finger Fixator (Joint)



REF. NO  
51714-00001

## Segmental Fixators



REF. NO	SIZE
51134-00010	Short
51134-00020	Medium
51134-00030	Long

## Dynamic Axial External Fixator (Pelvic)



REF. NO	SIZE
51674-00001	Short
51674-00002	Medium
51674-00003	Long

## Limb Lengthener Fixators



REF. NO	SIZE
51524-00001	Short
51524-00002	Medium
51524-00003	Long

## Petrochanteric Fixator



REF. NO
51804-00001

## Dynamic Axial External Fixator (Femur - Tibia)



REF. NO	SIZE
51504-00001	Short
51504-00002	Medium
51504-00003	Long

## Pilon Fixators



REF. NO	SIZE
51624-00001	Short
51624-00002	Medium
51624-00003	Long

## T Clamp Femur



REF. NO
50914-00001

## 135° Clamp (On)




REF. NO
50864-00001

## 135° Clamp (Off)



REF. NO
50864-00002



Hybrid Fixator



SIZE	REF. NO
Short	50054-00001
Medium	50054-00002

Hybrid Fixator Rod Clamp



REF. NO
50134-00001

Hybrid Fixator Wire Clamp



REF. NO
50104-00001

Hybrid Clamp



REF. NO
50064-00001

Hybrid Fixator Rod 6x400 mm



REF. NO
50191-00001

Hybrid Fixator Rod Connection Part



REF. NO
50151-00001

Olive Kirschner Wire Ø 2x440



REF. NO
62051-20044

Hybrid Fixator Ring



Kirschner Wire Ø 2x440




REF. NO
60121-20044

REF. NO
50044-00170
50044-00190

# External Fixation Systems

Small External Tubular Fixator Set


## Rod-Rod Clamp Ø 6 mm



REF. NO  
(AL)

50244-00007

## Rod-Schanz Clamp



REF. NO  
(AL)

50244-00010

## Multiplanar Pin Clamp



REF. NO  
(AL)

50244-00001

## Double Planar Pin Holder Clamp



REF. NO  
(AL)

50244-00003

## Rod Ø 6 mm



REF. NO (TI)	REF. NO (AL)	SIZE (mm)
50242-05100	50244-05100	100
50242-05180	50244-05180	180
50242-05200	50244-05200	200
50242-05220	50244-05220	220
50242-05240	50244-05240	240
50242-05260	50244-05260	260
50242-05280	50244-05280	280
50242-05300	50244-05300	300
50242-05320	50244-05320	320
50242-05340	50244-05340	340
50242-05360	50244-05360	360
50242-05380	50244-05380	380
50242-05400	50244-05400	400

## Angled Connection Part 30°



REF. NO  
(SS)

50241-00015


## Horizontal Connection Part



REF. NO  
(SS)

50241-00013


### Rod-Rod Clamp Ø 8 mm



REF. NO  
(AL)

50244-00008

### Rod-Schanz Clamp



REF. NO  
(AL)

50244-00011

### Rod Ø 8 mm



REF. NO  
(AL)

50244-08180

REF. NO  
(TI)

50242-08180

SIZE  
(mm)

180

50244-08200

50242-08200

200

50244-08220

50242-08220

220

50244-08240

50242-08240

240

50244-08260

50242-08260

260

50244-08280

50242-08280

280

50244-08300

50242-08300

300

50244-08320

50242-08320

320

50244-08340

50242-08340

340

50244-08360

50242-08360

360

50244-08380

50242-08380

380

50244-08400

50242-08400

400

### Double Planar Pin Holder Clamp



REF. NO  
(AL)

50244-00004

### Angled Connection Part 30°



REF. NO  
(SS)

50241-00016

### Angled Corner Ring



REF. NO  
(AL)

50244-00005

SIZE

S

50244-00006

M

### Horizontal Connection Part



REF. NO  
(SS)

50241-00014

## Schanz Screw (Cortical Threaded)



REF. NO (SS)	LENGTH (mm)	DIAMETER
60051-20035	35	Ø 2mm
60051-20040	40	Ø 2mm
60051-20050	50	Ø 2mm
60051-20060	60	Ø 2mm
60051-20070	70	Ø 2mm
60051-20080	80	Ø 2mm
60051-20090	90	Ø 2mm
60051-20100	100	Ø 2mm
60051-20110	110	Ø 2mm
60051-20120	120	Ø 2mm
60051-30070	70	Ø 3mm
60051-30080	80	Ø 3mm
60051-30090	90	Ø 3mm
60051-30100	100	Ø 3mm
60051-30110	110	Ø 3mm
60051-30120	120	Ø 3mm
60051-30130	130	Ø 3mm
60051-30140	140	Ø 3mm
60051-30150	150	Ø 3mm
60051-30160	160	Ø 3mm
60051-40070	70	Ø 4mm
60051-40080	80	Ø 4mm
60051-40090	90	Ø 4mm
60051-40100	100	Ø 4mm
60051-40110	110	Ø 4mm
60051-40120	120	Ø 4mm
60051-40130	130	Ø 4mm
60051-40140	140	Ø 4mm
60051-40150	150	Ø 4mm
60051-40160	160	Ø 4mm
60051-40180	180	Ø 4mm

REF. NO (SS)	LENGTH (mm)	DIAMETER
60051-50110	110	Ø 5mm
60051-50120	120	Ø 5mm
60051-50140	140	Ø 5mm
60051-50150	150	Ø 5mm
60051-50160	160	Ø 5mm
60051-50170	170	Ø 5mm
60051-50180	180	Ø 5mm
60051-50190	190	Ø 5mm
60051-50200	200	Ø 5mm
60051-50210	210	Ø 5mm
60051-50220	220	Ø 5mm
60051-50230	230	Ø 5mm
60051-50240	240	Ø 5mm
60051-50250	250	Ø 5mm
60051-50260	260	Ø 5mm
60051-50280	280	Ø 5mm
60051-50300	300	Ø 5mm
60051-60140	140	Ø 6mm
60051-60150	150	Ø 6mm
60051-60160	160	Ø 6mm
60051-60170	170	Ø 6mm
60051-60180	180	Ø 6mm
60051-60190	190	Ø 6mm
60051-60200	200	Ø 6mm
60051-60210	210	Ø 6mm
60051-60220	220	Ø 6mm
60051-60230	230	Ø 6mm
60051-60240	240	Ø 6mm
60051-60250	250	Ø 6mm
60051-60260	260	Ø 6mm
60051-60280	280	Ø 6mm
60051-60300	300	Ø 6mm

## Kirschner Wire Threaded Point

REF. NO (SS)	LENGTH (mm)	DIAMETER
60031-08300	300	Ø 0.8 mm
60031-10300	300	Ø 1.0 mm
60031-12300	300	Ø 1.2 mm
60031-15300	300	Ø 1.5 mm
60031-18300	300	Ø 1.8 mm
60031-20300	300	Ø 2.0 mm
60031-22300	300	Ø 2.2 mm
60031-25300	300	Ø 2.5 mm
60031-30300	300	Ø 3.0 mm
60031-35300	300	Ø 3.5 mm
60031-40300	300	Ø 4.0 mm


## Kirschner Wire Trocar Point

REF. NO (SS)	LENGTH (mm)	DIAMETER
60041-08300	300	Ø 0.8 mm
60041-10300	300	Ø 1.0 mm
60041-12300	300	Ø 1.2 mm
60041-15300	300	Ø 1.5 mm
60041-18300	300	Ø 1.8 mm
60041-20300	300	Ø 2.0 mm
60041-25300	300	Ø 2.5 mm
60041-30300	300	Ø 3.0 mm

## Steinmann Pin

REF. NO (SS)	LENGTH (mm)	DIAMETER
60201-40300	300	Ø 4.0 mm
60201-45300	300	Ø 4.5 mm
60201-50300	300	Ø 5.0 mm
60201-60300	300	Ø 6.0 mm

## Polyaxial Screws



REF. NO (TI) Ø 4.5 mm	REF. NO (TI) Ø 5.5 mm	REF. NO (TI) Ø 6.5 mm	SIZE (mm)
30212-45025	-	-	25
30212-45030	30212-55030	-	30
30212-45035	30212-55035	30212-65035	35
30212-45040	30212-55040	30212-65040	40
30212-45045	30212-55045	30212-65045	45
30212-45050	30212-55050	30212-65050	50
30212-45055	30212-55055	30212-65055	55
30212-45060	30212-55060	30212-65060	60
-	-	30212-65065	65

## Spinal Rod Ø 5.5 mm



REF. NO (TI)	SIZE (mm)
30252-55050	50
30252-55070	70
30252-55090	90
30252-55100	100
30252-55110	110
30252-55130	130
30252-55150	150
30252-55170	170
30252-55180	180
30252-55200	200
30252-55220	220
30252-55240	240
30252-55260	260
30252-55400	400

## Transvers Connector Crosslink




REF. NO (TI)	SIZE (mm)
30262-30060	60
30262-30065	65
30262-30070	70
30262-30075	75
30262-30080	80

## Monoaxial Screws



REF. NO (TI) Ø 4.5 mm	REF. NO (TI) Ø 5.5 mm	REF. NO (TI) Ø 6.5 mm	SIZE (mm)
30222-45025	-	-	25
30222-45030	30222-55030	-	30
30222-45035	30222-55035	30222-65035	35
30222-45040	30222-55040	30222-65040	40
-	30222-55045	30222-65045	45
-	30222-55050	30222-65050	50
-	30222-55055	30222-65055	55

## Spondylolisthesis Polyaxial Screws



REF. NO (TI) Ø 4.5 mm	REF. NO (TI) Ø 5.5 mm	REF. NO (TI) Ø 6.5 mm	SIZE (mm)
30232-45030	30232-55030	-	30
30232-45035	30232-55035	30232-65035	35
30232-45040	30232-55040	30232-65040	40
-	30232-55045	30232-65045	45
-	30232-55050	30232-65050	50
-	30232-55055	30232-65055	55
-	30232-55060	30232-65060	60
-	-	30232-65065	65

## Angled Transvers Connector



REF. NO (TI)	SIZE (mm)
30282-00060	60
30282-00065	65
30282-00070	70
30282-00075	75
30282-00080	80

## Transvers Connector Hook Connector



REF. NO (TI)
30272-00001









ISO 13485  
ISO 9001

